

Alaska 44 SEDAN

+61 07 5577 9200
Shop 42 D&E Quay Street,
The Marine Village,
Sanctuary Cove,
QLD, 4212 Australia



Australian Specifications and Standard Equipment List

Length Overall	44'	13.1m
Beam (Max)	14'	4.25m
Draft (Hull)	2'10"	0.86m
Displacement (LB KG)	27,500	12473.78
Fuel Tank	600US Gals	2,270L
Water Tank	200 US Gals	756L

STANDARD BASE PRICE FITTED WITH TWIN CUMMINS QSB 6.7L 380HP MARINE DIESEL ENGINES with ZF 85A STD

Construction

HULL: HAND LAMINATION FIBERGLASS HULL USING FIBERGLASS CHOPPED STRAND MAT WOVEN ROVING DESIGNED TO MEET OR EXCEED A.B.S. SPECIFICATION. STD

DECK: HAND LAMINATION FIBERGLASS SANDWICH CONSTRUCTION. OVERLAYED WITH 1/2" SOLID SKIN DRIED TEAK BEDED IN THROUGH AND SCREWED WITH 1/2" S/S SELF TAPPING SCREWS EVERY 10". STD

BULKHEADS & CABIN FLOORS: VACUUM BAGGING WITH " DIVINYCELL" PVC RIGID FORM ,AND BULKHEADS BONDED TO THE HULL WITH 4PLYS OF 18OZ MAT STD

THE DECK TO HULL JOINT: HULL AND DECK ARE FITTED AND SEALED WITH SIKA 252/292 COMPOUNDS THROUGH BOLTED WITH S/S BOLTS AT 9" CENTERS, AND GLASSED OVER WITH WOVEN ROVING. STD

main deck

Non skid deck/ Front cabin top non-skid deck STD

S/s plow anchor 45LBS (x1) with 50meters chain, 45LBS (x1) STD

50meters chain	STD
Chain locker hatch	STD
chain locker drain 2-1/8"	STD
s/s pipe with cap for anchor chain 316# 2-1/2"*100	STD
FRP Anchor platform with pulpit, FRP	STD
S/S 316l Fairlead S/S 316l	STD
MUIR 2200 VR Anchor windlass with bow roller	STD
S/s handrails dia. 1 1/2" and stanchions dia. 1 1/4"	STD
S/S handrail	STD
S/S life line	STD
1" s.s strip	STD
FRP rail cap FRP	STD
Hatch on the forward cabin top ,	STD
FRP swimming platform top cover, fold down stainless steel swimming ladder, FRP	STD
s.s. ladder for hard top	STD
H/C transom shower mounted on back transom	STD
S/s cleat at bow (x2)	STD
S/s cleats at midship (x4)	STD
S/s hawse pipe w/cleat at stern (x2),	STD
S/s flagpole holders bow & stern	STD
S/s flagpole holders bow & stern	STD
Deck filler for water tanks	STD

Fuel and water tanks vent	STD
Deck filler for fuel tanks on starboard and portside passageway	STD
Holding tank pump-out deck fitting on port passageway	STD
Gas struts	STD
hatch for lazrette and engine room	STD
Off-shore plug	STD
FRP mast	STD
FRP cabinet and Corian countertop at cockpit	STD
fire-resistant panel	STD
High gloss Interior finish	STD
Anti fouling	STD
Sloon / Gally/Walkways	
Teak and holly stripe floor,	STD
L-shape sofa and bench/berth with drawer	STD
S/S Hi-Lo table supporter	STD
Galley with cabinets and "CORIAN" counter tops,	STD
S/s single sink with single lever H/C water faucet,	STD
Vinyl ceiling,	STD
Salon floor hatches to E/R,	STD
S/S door	STD
Miji cockpit with two burner	STD
Locker for the galley	STD
AC socket	STD

Chrome porthole 5" face clock and barometer	STD
upgrading to AMI STD high-gloss african cherry interior through whole boat	STD
S/S sliding door in saloon	STD
AMI standard curtain & soft roller blind	STD
S/S base for saloon & stairs with gloss timber handrail	STD
600mmx600mm saloon hatch with roller blind	STD
Ceiling fixing buckle	STD
S/S strip along walkways	STD
S/S strip for saloon bookshelf & replacing scrub base plate	STD
stern door and flip window price difference	STD
Fusion DVD + water proof speakers	STD
Isotherm CR90F in galley	STD
S/S Refregirator ISOTHERM CR130D in galley Isotherm CR130D	STD

helm Station

wooden console with engine panel and navigation panels	STD
S/s steering wheel with wooden rim,	STD
wooden Pilot seat with storage,	STD
Electrical switchboard box	STD
S/S sliding door	STD

Master stateroom

King-size(2Mt) island bed, storage under and drawers,	STD
gas strut	STD
3/4 high hanging locker, 3/4	STD
Stainless steel opening hatch (16 1/2"×16 1/2")	STD
Stainless steel opening portholes with mosquito screen	STD
Reading lights	STD
Teak and holly stripe floor,	STD
Vinyl ceiling,	STD
AC Socket	STD
Customized elliptic type portholes in both portside & starboard	STD
scrub acrylics board in both masterroom & guestroom head	STD

Guest Stateroom

Two single berth, storage under	STD
3/4 high hanging locker,	STD
Half height cabinet with drawers between the berths,	STD
S/s porthole with mosquito screen	STD
S/S hatch 19- 1/2"	STD
S/s portholes	STD
Vinyl ceiling,	STD
Reading lights,	STD
Teak and holly stripe floor,	STD
Mirror	STD
AC Socket	STD

Head room for master stateroom

Shower stall with molded FRP floor basin and teak grating floor, aluminum folding shower door, STD

Vanity unit, wash basin and single lever H/C faucet, STD

faucet for shower STD

faucet for wash basin STD

Mirror STD

s/s Porthole with mosquito screen STD

12V waterproof light, STD

Medicine cabinet, STD

towel rack STD

toilet roll holder STD

AC socket STD

Air vent STD

Head room for gueststateroom

Shower stall with molded FRP floor basin and teak grating floor STD

Vanity unit, wash basin and single lever H/C faucet, STD

faucet for wash basin and shower STD

Mirror STD

s/s Porthole with mosquito screen STD

12V waterproof light, STD

Medicine cabinet STD

towel rack STD

Toliet paper rack	STD
AC socket	STD
DC extractor fan	STD

Mechanical

Two Cummins marine engines 380HP	STD
Engines overheat and low oil pressure alarm system,	STD
Engine raw water intake strainers,	STD
fuel filter	STD
2" sea water filter	STD
2"seacock	STD
S/s propeller shafts 2"dia,	STD
shaft log with rubber-bronze bearing	STD
2"X3"	STD
S/s V-struts with rubber bearing,	STD
s/s A- Shaft	STD
Four blades NI- AL-bronze propellers,	STD
S/s rudders and stocks,	STD
Emergency tiller	STD
s.s rudder stock	STD
s.s connection bar	STD
s.s rudder plates	STD
VDO meter for rudder indication	STD
hydraulic steering system TELEFLEX	STD

Cummins electric engine controls	STD
Engine room insulation,	STD
jabsco accumulater tank	STD
roco wash down kit	STD
Jabsco Rarmaxpump	STD
RULE Bilge pump	STD
RULE Bilge pump switch	STD
hand operated bildge pump COMPAC50	STD
Rule shower drain kit W/mtp 12V98	STD
macerator pump	STD
high water bildge alarm	STD
FRP non-skid engine room floor,	STD
s/s fuel tank	STD
valve for water level1/2"	STD
Bow thruster with control panel,	STD
SP 100 Bow thruster	STD
Hydraulic trim tabs with control pane,	STD
Single trim tab 24"	STD
FRP Holding tank 38L FRP	STD
gas/water separator for generator	STD
Muffling device for Engine's 2nd exhaust pipe x 2	STD
Bilge pump check valve x 3	STD
S/S engine base	STD

2 x additional S/S cleats at stern 12"	STD
--	-----

Electrical System

Onan generator 7kw with Sound shield	STD
--------------------------------------	-----

fuel /water separating filters	STD
--------------------------------	-----

1"sea water filter	STD
--------------------	-----

1" seacock	STD
------------	-----

seacock strainer filter	STD
-------------------------	-----

MarineAir Air condition(24K Saloon +16K BTU)	STD
--	-----

DZ47L-2P - earth leakage protection	STD
-------------------------------------	-----

Battery safety switches BEP	STD
-----------------------------	-----

220V AC electrical wiring and outlets in saloon, galley, master stateroom , guest room and heads,	STD
---	-----

Copper bonding to zinc anode,	STD
-------------------------------	-----

Engine room blowers(x2),	STD
--------------------------	-----

Windshield wipers with washer(x3),	STD
------------------------------------	-----

wipper arm 28" & blade 22" kit	STD
--------------------------------	-----

Electrical horn (x1),	STD
-----------------------	-----

Pre-wiring TV cable from mast top to the salon and master room socket,	STD
--	-----

electrical toilet Tecma	STD
-------------------------	-----

Inverter 3KW	STD
--------------	-----

Sealed Battery with house boxes: 2x200A for services, 2x200A for engine start,1x85A for generator, 1x210A AGM for windlass and bow thruster,	STD
--	-----

BEP 220V AC and 12V DC distribution panel	STD
---	-----

cigarette lighter	STD
-------------------	-----

Compass (×1),	STD
LED International navigation lights,	STD
LED 12v lighting for stern deck	STD
search light	STD
LED ceiling lights in interior	STD
LED courtesy lights 21ea	STD
anchor LED lights at stern hard top	STD
Suction fan & pipes in galley	STD
Cockpit fluorescent light x 2	STD
2 additional ceiling lights in bookshelf	STD
upgrading to VIMAR switches through the boat	STD
“HELLA” LED lights in both engine room & lazzerate	STD
leakage circuit breacker	STD
DNV cables through boat	STD
Shaft Upgrading to AQUAMET 22	STD
A/C disconnecting switches x 3	STD

Water System

S/s fresh water tank Lit. 756 (Gal 200),	STD
Water heater 38Lit. Capacity (Gal 10)	STD
Cockpit shore water inlet with pressure regulation	STD

Instruments

Engine instrumentation panels with tachometer, voltmeter, oil pressure and water temperature gauges, engine start/stop buttons,	STD
Fuel and water tank lever indicator,	STD

Fuel tank lever indicator	STD
water tank lever indicator	STD
Holding tank with holding tank lever indicator	STD
Control console,	STD
Initial Quote Price with Standard Equipment	STD

OPTIOANL LIST

Hull extension to 44ft including Cockpit L-shaped settee with addition of a custom timber table on a single through bolted 2" SS supports & custom cushions

SP100 Stern Thruster

TV SS pivot frame

U-LINE 18 ice maker on stern deck

house bank batteries to 800 Amp hrs (4 x 200ah AGM) DECREASE engine start batteries to 2 x 150ah AGM batteries inc SS frames

Increase chain to 80m (instead of 50)

raymarine e-series 12.1" GPS, Plotter, Sounder, Auto pilot, VHF radio

Anemometer

AIS

INCREASE Charger to 100 amps

Capstan to MUIR 2200 winch

Dual acrylic side doors with SS hardware

Standard BBQ 240v with cover & spigots with GPO in cockpit

Cockpit Clears to sides & rear with ZIP outs x 4 + doorway to port

2.6m RIB Tender, 5hp Outboard, swivel & snap davits installed